## **AMENDMENT**

Please amend the claims without prejudice, without admission, without surrender of subject matter, and without any intention of creating any estoppel as to equivalents, as follows:

## In the Claims

- 1-28. (Cancelled)
- 29. (Currently amended) The DNA molecule of claim [[28]] <u>34</u>, wherein the first primer consists of the nucleotide sequence of SEQ ID NO:11, and wherein the second primer consists of the nucleotide sequence of SEQ ID NO:12.
- 30. (Currently amended) A DNA molecule, which can be amplified from a nucleic acid sample of corn using a set of primers comprising a first and second primer, wherein the first primer consists of SEQ-ID-NO:11, and wherein the second primer consists of SEQ-ID-NO:12 and using PCR conditions with a thermocycling profile as follows:
  - (i) 4 min at 95°C; followed by
  - (ii) 1 min at 95°C, 1 min at 57°C, 2 min at 72°C for 5 cycles; followed by
  - (iii) 30 seconds at 92°C, 30 seconds at 57°C, 1 min at 72°C for 25 cycles, followed by
  - (iv) 5 minutes at 72°C consisting of nucleotides 286 to 487 of SEQ ID NO:6.
  - 31. (Currently amended) A detection kit comprising the DNA of claim [[28]] 34.
  - 32. (Cancelled).
  - 33. (Cancelled)
- 34. (Currently amended) A DNA molecule, which can be amplified produced by polymerase chain reaction (PCR) from a nucleic acid sample of corn comprising elite event GAT-ZM1, using a set of primers comprising a first and second primer, wherein:
- a) said first primer consists of a sequence of 15 to 30 contiguous nucleotides eomplementary to a sequence within SEQ ID NO:6 from position 1 to position 341 or the complement thereof and wherein said second primer consists of a sequence of 15 to 30 contiguous nucleotides within SEQ ID NO:6 from position 342 to position 1041 or the complement thereof, or wherein
- <u>b)</u> said first primer consists of a sequence of 15 to 30 <u>contiguous</u> nucleotides <del>complementary to a sequence</del> within SEQ ID NO:10 from position 343 to position 484 or the complement thereof, and said second primer <del>consists of a sequence of 15 to 30 nucleotides</del>

2

00215732

complementary to a sequence within SEQ ID NO:6 from position 342 to position 1041 or the complement thereof, or wherein said second primer consists of a sequence of 15 to 30 contiguous nucleotides complementary to a sequence within SEQ ID NO:10 from position 1 to position 342 or the complement thereof;

wherein, and using PCR conditions with a thermocycling profile are as follows:

- (i) 4 min at 95°C; followed by
- (ii) 1 min at 95°C, 1 min at 57°C, 2 min at 72°C for 5 cycles; followed by
- (iii) 30 seconds at 92°C, 30 seconds at 57°C, 1 min at 72°C for 25 cycles, followed by
- (iv) 5 minutes at 72°C;

wherein the sequence of said DNA molecule comprises (i) nucleotides 286 to 487 of SEQ ID NO:6 or (ii) SEQ ID NO:10.

- 35. (New) An isolated DNA molecule comprising a nucleotide sequence selected from (i) a nucleotide sequence starting from a nucleotide between positions 1 and 286 of SEQ ID NO:6 and ending at a nucleotide between positions 487 and 1041 of SEQ ID NO:6 and (ii) SEQ ID NO:10.
- 36. (New) The DNA molecule of claim 35 comprising the nucleotide sequence of SEQ ID NO:6.

3

00215732